

HEMOCHRON® Whole Blood Microcoagulation Systems		
PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-ELITE	The HEMOCHRON Signature Elite New Compliance Technology microcoagulation system offers: Barcode Scanning, Internal Electronic Quality Control, Alphanumeric Data Entry for Patient and Operator Identification, Operator Lockout, QC Lockout for electronic and liquid controls, plus many additional features. Configuration Manager software is provided to configure any number of Signature Elite instruments to meet regulatory needs, and the needs of each individual department.	Dimensions: 9.4cm (3.7 in) D x 19cm (7.5 in) W x 5cm (2.0 in) H Weight: 0.53 kg (1.2 lbs) each
POCCLA-PSIG	The HEMOCHRON Jr. Signature+ microcoagulation system offers: Numeric Data Entry for Patient and Operator Identification, Operator Lockout, QC lockout, plus many additional features. Configuration Manager software is provided to configure any number of Signature+ instruments.	Dimensions: 9cm (3.5 in) D x 19cm (7.5 in) W x 5cm (2.0 in) H Weight: 0.34 kg (0.7 lbs) 1each
POCCLA-HE-SIG	The HEMOCHRON Jr. Signature Microcoagulation System offers Numeric Data Entry for Patient and Operator Identification, Operator Lockout, and Normal and Abnormal Electronic Quality Control Verification cartridges plus a Temperature Verification cartridge.	Dimensions: 10cm D x 19cm W x 5cm H Weight: 0.34 kg 1 each
Microcoagulation Tests Cuvettes		
POCCLA-JACT+	ACT+ test cuvette - Silica and kaolin based activated clotting time test cuvette for use with fresh whole blood.	45 cuvettes/box
POCCLA-JACT-LR	ACT-Low Range test cuvette - Celite® based activated clotting time test cuvette for use with fresh whole blood	45 cuvettes/box
POCCLA-J201	PT test cuvette - Prothrombin time test cuvette for use with fresh whole blood. (venous or fingerstick sampling)	45 cuvettes/box
POCCLA-J201C	Citrate PT test cuvette - Prothrombin time test cuvette for use with citrated whole blood.	45 cuvettes/box
POCCLA-J103	APTT test cuvette - Activated Partial Thromboplastin Time Test cuvette for use with fresh whole blood.	45 cuvettes/box
POCCLA-J103C	Citrate APTT test cuvette - Activated Partial Thromboplastin Time Test cuvette for use with citrated whole blood.	45 cuvettes/box

directCHECK® Microcoagulation Quality Control		
PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-DCJACT-N	Normal level vials - For use with Catalog No. JACT+ (ACT+ cuvettes).	1 box of 15 Normal level vials and 4 protective sleeves
POCCLA-DCJACT-A	Abnormal level vials - For use with Catalog No. JACT+ (ACT+ cuvettes).	1 box of 15 Abnormal level vials and 4 protective sleeves
POCCLA-DCJLR-N	Normal level vials - For use with Catalog No. JACT-LR (ACT-LR cuvettes).	1 box of 15 Normal level vials and 4 protective sleeves
POCCLA-DCJLR-A	Abnormal level vials - For use with Catalog No. JACT-LR (ACT-LR cuvettes).	1 box of 15 Abnormal level vials and 4 protective sleeves
POCCLA-DCJPT-N	Normal level vials - For use with Catalog No. J201 (PT cuvettes).	1 box of 15 Normal level vials and 4 protective sleeves
POCCLA-DCJPT-A	Abnormal level vials - For use with Catalog No. J201 (PT cuvettes).	1 box of 15 Abnormal level vials and 4 protective sleeves
POCCLA-DCJCPT-N	Normal level vials - For use with Catalog No. J201C (citrate PT cuvettes), and J103C (Citrate APTT cuvettes).	1 box of 15 Normal level vials and 4 protective sleeves
POCCLA-DCJCPT-A	Abnormal level vials - For use with Catalog No. J201C (Citrate PT cuvettes).	1 box of 15 Abnormal level vials and 4 protective sleeves
POCCLA-DCJCAPTT-A	Abnormal level vials - For use with Catalog No. J103C (Citrate APTT cuvettes).	1 box of 15 Abnormal level vials and 4 protective sleeves
POCCLA-DCJAPTT-N	Normal level vials - For use with Catalog No. J103 (APTT cuvettes).	1 box of 15 Normal level vials and 4 protective sleeves
POCCLA-DCJAPTT-A	Abnormal level vials - For use with Catalog No. J103 (APTT cuvettes).	1 box of 15 Abnormal level vials and 4 protective sleeves
POCCLA-DCJ-005	10 protective sleeves	10 sleeves

Electronic Quality Control for HEMOCHRON Jr. Instruments		
PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-HE-J04	Electronic System Verification kit for HEMOCHRON Jr. instrument quality control.	1 Normal (30 second), and 1 Abnormal (300 second) Electronic System Verification Cartridge, and 1 Temperature Verification Cartridge
POCCLA-HE-J03	Batteries for HEMOCHRON Jr. Electronic Quality Control.	1 each. 3V. Battery Model number CR2450
POCCLA-JEN-QC	Electronic System Verification Cartridge - Normal. For HEMOCHRON Jr. instrument quality control.	1 each
POCCLA-JEA-QC	Electronic System Verification Cartridge - Abnormal. For HEMOCHRON Jr. instrument quality control.	1 each
POCCLA-J-1001	Temperature Verification Cartridge for HEMOCHRON Jr. instruments.	1 each
Microcoagulation Accessories		
POCCLA-PKIT	Printer Kit for use with HEMOCHRON Signature instruments.	1 printer, 1 battery, 1 connector cable, 1 AC adapter and 5 rolls of paper (110V)
POCCLA-RP-DPU	Replacement printer paper.	5 rolls/box
POCCLA- T-DPU	1 Replacement AC Adapter for the printer	1 each
POCCLA- BP-DPU	1 Replacement printer battery	1 each
POCCLA-CBL-SIG	1 Replacement connector cable for Signature and printer	1 each
POCCLA-HE-LP	Linearity and precision testing performance by ITC technicians. Pricing per test, per instrument.	Includes all required reagents and controls. Hard copies of linearity and precision data supplied for record keeping

# Point-of-Care and Near Patient Testing | 2011-2013

HEMOCHRON® Response and 401		
PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-HRS.110	Response - A dual well instrument with an integrated printer. System offers Operator Identification, Operator Lockout, QC lockout, Data storage up to 600 patient results per well, and up to 64 QC results per well, plus many additional features.	Dimensions: 19 cm (7.5 in) D x 27 cm (10.5 in) W x 22 cm (8.7 in) H Weight: 2.90 kg (6.4 lbs) 1 each
POCCLA-RxDx®	Analysis module for Heparin and Protamine Dosing. For use with HEMOCHRON Response.	1 each
POCCLA-HE401	A single well coagulation instrument.	Dimensions: 18 cm W x 23 cm D x 12.5 cm H Weight: 1.7 kg 1 each
ACT Tube Tests		
POCCLA-FTCA510	Diatomaceous earth activated, non-evacuated glass test tubes. Features a fliptop for needleless blood sample transfer. Requires 2.0 cc of fresh whole blood. Recommended ACT for monitoring heparin during cardiac surgery, vascular surgery, PTCA, cardiac catheterization and post procedure monitoring.	Black stopper 95 test tubes/package
POCCLA-FTCA510-4	Same as FTCA510 test tube.	Black stopper 1 case of 380 test tubes
POCCLA-HRFTCA510	Same as FTCA510 test tube with barcode for Response.	Black stopper 95 test tubes/package
POCCLA-FTK-ACT	Kaolin activated, non-evacuated glass test tubes. Features a flip-top for needleless blood sample transfer. Requires 2.0 cc of whole blood. Recommended ACT for monitoring heparin in the presence of low to moderate dose aprotinin during bypass surgery.	Gold stopper 95 test tubes/package
POCCLA-FTK-ACT-4	Kaolin activated, non-evacuated glass test tubes. Features a flip-top for needleless blood sample transfer. Requires 2.0 cc of whole blood. Recommended ACT for monitoring heparin in the presence of low to moderate dose aprotinin during bypass surgery.	Gold stopper 1 case of 380 test tubes
POCCLA-HRFTK-ACT	Same as FTK-ACT test tube with barcode for Response.	Gold stopper 95 test tubes/package
POCCLA-P214	Glass-particulate activated, non-evacuated plastic test tubes. Features a flip-top for needleless blood sample transfer. Requires 0.4 cc of whole blood. Recommended ACT for monitoring heparin during hemodialysis, hemofiltration, and ECMO.	Clear stopper 95 test tubes/package
POCCLA-P215	Same as P214 test tube.	Clear stopper 1 case of 950 test tubes

RxDx® Anticoagulation Management System		
PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-R-PH100	RxDx® Anticoagulation Management System Porcine heparin.	1,000 units/ml, 10ml. 50 vials/box
POCCLA-R-HRT480P	Heparin Response Test - Porcine. For bypass surgery and aggressive cardiac invasive procedures. Matched to RxDx Heparin. Target times 300-600 seconds.	Mint Green top 40 tubes/box
POCCLA-R-HRT480PK	Heparin Response Test, Same as R-HRT480P, but kaolin based.	Mint Green top 40 tubes/box
POCCLA-R-PRT200	Protamine Response Test. For bypass surgery when low to moderate levels of heparin are present. Matched to RxDx Protamine.	Peach top 40 tubes/box
POCCLA-R-PRT200K	Protamine Response Test. Same as R-PRT200, but kaolin based.	Peach top 40 tubes/box
POCCLA-R-PRT400	Protamine Response Test. For bypass surgery when moderate to high levels of heparin are present. Matched to RxDx Protamine.	Red top 40 tubes/box
POCCLA-R-PRT400K	Protamine Response Test. Same as R-PRT400, but kaolin based	Red top 40 tubes/box
POCCLA-PDAO	Protamine Dose Assay. For verification of heparin neutralization	Orange top 40 tubes/box
POCCLA-PDAOK	Protamine Dose Assay. Same as PDAO, but kaolin based	Orange top Navy Blue top 40 tubes/box

Other Test Tubes		
PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-A104	APTT for use with citrated blood. Available by Special Order only. Removable top tube contains kaolin activator, platelet factor substitute, calcium salt. Requires 2.0 cc of citrated blood.	Light Grey top 40 tubes/package
POCCLA-A201	Prothrombin Time (PT). For use with fresh whole blood. Removable top tube contains rabbit brain thromboplastin. Requires 2.0 cc of whole blood.	Purple top 40 tubes/package
POCCLA-A202	PT for use with citrated blood. Available by Special Order only. Removable top tube contains rabbit brain thromboplastin, calcium salt. Requires 2.0 cc of citrated blood.	Light Purple top 40 tubes/package
POCCLA-A301	Thrombin Time (TT). Removable top tube contains thrombin. For use with either fresh or citrated whole blood. Requires 1.0 cc of whole blood.	Rose top 20 tubes/20 vials distilled water/package
POCCLA-A401	Heparin Neutralized Thrombin Time (HNTT). Removable top tube contains thrombin and protamine sulfate, a heparin neutralizing agent. For use with either fresh or citrated whole blood. Requires 1.0 cc of whole blood.	Brown top 20 tubes/20 vials distilled water/package
POCCLA-A501	High Dose Thrombin Time (HiTT). Removable top tube contains thrombin. For use with fresh whole blood. Requires 1.5 cc of whole blood. Recommended as a heparin-specific assay for monitoring heparin and determining circulating heparin levels via factor IIa inhibition in the presence of aprotinin during bypass surgery.	Turquoise top 20 tubes/20 vials distilled water/package
POCCLA-B101	Fibrinogen Assay. Removable top tube. For quantification of functional fibrinogen. For use with fresh whole blood. Requires 1.0 cc of whole blood for diluted test procedure, or 0.5 cc of whole blood for undiluted test procedure.	Light Brown top 20 tubes/20 vials distilled water/package

Tube Quality Control		
PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-QCAPTT	Whole Blood Control for use with APTT test tubes, Catalog No. A103.	10 vials level 1 control and 10 vials of level 1 diluent, plus 10 vials level 2 control and 10 vials of level 2 diluent /box
POCCLA-QCAPTC	Whole Blood Control for use with Citrate APTT test tubes, Catalog No. A104.	10 vials level 1 control and 10 vials of level 1 diluent, plus 10 vials level 2 control and 10 vials of level 2 diluent /box
POCCLA-QCPT	Whole Blood Control for use with PT test tubes, Catalog No. A201.	10 vials level 1 control and 10 vials of level 1 diluent, plus 10 vials level 2 control and 10 vials of level 2 diluent /box
POCCLA-QCPTC	Whole Blood Control for use with Citrate PT test tubes, Catalog No. A202.	10 vials level 1 control and 10 vials of level 1 diluent, plus 10 vials level 2 control and 10 vials of level 2 diluent /box
POCCLA-QCTT	Whole Blood Control for use with Citrate TT test tubes, Catalog No. A301. and HNTT test tubes, Catalog No. A401.	10 vials level 1 control and 10 vials of level 1 diluent, plus 10 vials level 2 control and 10 vials of level 2 diluent /box
POCCLA-RQCHRT	Whole Blood Control for use with Heparin Response test tubes, Catalog No. R-HRT480P and R-HRT480PK.	10 Level 1 whole blood vials with 10 vials of level 1 diluent; 10 Level 2 whole blood vials with 10 vials of level 2 diluent

# Point-of-Care and Near Patient Testing | 2011- 2013

PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-RQCHITT	Whole Blood Control for use with HiTT test tubes, Catalog No. A501.	10 Level 1 whole blood vials with 10 vials of level 1 diluent; 10 Level 2 whole blood vials with 10 vials of level 2 diluent
POCCLA-DCP214-N	Whole Blood Control for use with P214 test tubes, Catalog No. P214.	1 box of 15 normal level vials and 4 protective sleeves
POCCLA-DCP214-A	Whole Blood Control for use with P214 test tubes, Catalog No. P214.	1 box of 15 abnormal level vials and 4 protective sleeves
POCCLA-B102	Control plasma for use with Firbinogen assay, Catalog No. B101.	10 vials of low normal control plasma, 10 vials of abnormal control plasma, 20 vials distilled water/box
<b>Tube Accessories</b>		
POCCLA-HR1003	Digital Temperature Verification Test Tube. For use in quality assuring HEMOCHRON test-well incubation temperature.	1 each
POCCLA-HRP-5	Thermal Printer Paper. Standard 2 1/4 inch thermal printer paper for use on the HEMOCHRON Response.	5 rolls/pack
POCCLA-HE-CAL	Calibration Tube for use with HEMOCHRON 401 instruments. Use to perform clot detector sensitivity testing.	1 each
<b>Data Management</b>		
POCCLA-HRDM3CD	HEMOCHRON Response Data Manager - Software package to enable the HEMOCHRON Response to download data to a PC. Capable of converting this information to a MS Excel format for data management.	1 each
POCCLA-HR-CBL	HEMOCHRON Response Cable/Connectors - Cable replacement for downloading the HEMOCHRON Response to a PC. Designed to be used with the HRDM software.	1 each
POCCLA-RPM-CD	Report Maker™ - Data management software package for use with HEMOCHRON Signature Elite, Signature+ and Signature. Views, sorts and prints patient and QC data by using Crystal Reports™. Can generate Levy Jennings charts for QC reporting. Includes PCKIT.	1 each
POCCLA-PCKIT	RS232 compatible cable for downloading the HEMOCHRON Signature to a PC. Includes downloading instructions.	1 each

# Point-of-Care and Near Patient Testing | 2011- 2013

IRMA TRUpoint® Blood Analysis System		
PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-555501	Instrument Domestic - TRUpoint Blood Analysis System (CR Ready) - With Ethernet* *Consists of Creatinine Ready TRUpoint Analyzer, Temperature Card, AC Adapter, Battery Charger & Power Supply, Power Cords, Batteries (2), Thermal Paper (2) & User Manual.	1 each
POCCLA-555503	International - TRUpoint Blood Analysis System (CR Ready) - With Ethernet* *Consists of Creatinine Ready TRUpoint Analyzer, Temperature Card, AC Adapter, Battery Charger & Power Supply, Batteries (2), Thermal Paper (2) & User Manual.	1 each
POCCLA-555503J	Japan - TRUpoint Blood Analysis System (CR Ready) – With Ethernet* *Consists of Creatinine Ready TRUpoint Analyzer, Temperature Card, AC Adapter, Battery Charger & Power Supply, Power Cords, Batteries (2), Thermal Paper (2) & User Manual.	1 each
Cartridges		
POCCLA-048103	Blood Gas Cartridge	25/pack
POCCLA-39903	Combo Cartridge	25/pack
POCCLA-74415	Creatinine Cartridge	10/pack
POCCLA-74400	Creatinine Cartridge	25/pack
POCCLA-48400	H3 Cartridge	25/pack
POCCLA-55704	H4E Cartridge	25/pack
POCCLA-65202	GL Cartridge	25/pack
POCCLA-70810	Lactate Cartridge	10/pack
POCCLA-070800	Lactate Cartridge	25/pack

Idms		
PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-464000	idms Version 7.3 (English)	1 Manual
POCCLA-462600	Device Set 1.2.4	1 Disk Set: (Disk, Install Instructions)
POCCLA-462600	idms Version 4.0 and 5.0 (English)	1 Manual
POCCLA-463000	idms Version 4.10 Software Package (Add code 552700 and 552900 if new account)	1 each
POCCLA-552700	RJ445 (7 foot cable)	1 each
POCCLA-52900	RJ45/DB (9 Female Adapter)	1 each
POCCLA-52800	RJ45/DB (9 Male Adapter)	1 each
POCCLA-52702	Cable, RJ45-RJ45 IRMA to Lantronix Term Server	1 each
POCCLA-14000	Connector to Lantronix, RJ45 to DB25 Female	1 each
POCCLA-16000	Connector to External Modem, DB25 to RJ45	1 each
IRMA TRUpoint® Manuals		
POCCLA-41116	IRMA User Manual Version 7.0 and above (English)	1 Manual
POCCLA-441113	IRMA Veterinary User Manual	1 Manual
POCCLA-47900	IRMA Glucose Manual Addendum (English)	1 Manual
POCCLA-448100	IRMA Service Manual (English)	1 Manual

Implementation Materials		
PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-433900	IRMA Training and Implementation Manual	<b>1 each</b>
Accessories		
POCCLA-463120	Bar Code Reader	1 each
POCCLA-63130	Bar Code Reader Holder Bracket Replacement Kit	1 each
POCCLA-28400	Edge Connector (non-Creatinine units)	1 each
POCCLA-28450	Edge Connector (Creatinine units)	1 each
POCCLA-450000	Edge Connector Cleaning Kit	1 each
POCCLA-77777	IRMA SW Upgrade-CD ROM (latest sw 7.0) 1 CD-ROM and Software Manual insert	1 each
POCCLA-48700	NiMH Battery	1 each
POCCLA-442900	NiMH Battery Charger	1 each
POCCLA-73400	NiMH Power Supply	1 each
POCCLA-20400	Spindle for Thermal Paper	1 each
POCCLA-44100	SureStepPro Glucose Module	<b>1 each</b>
POCCLA-32001	Temperature Card (non-Creatinine units)	1 each
POCCLA-32002	Temperature Card (Creatinine units)	1 each
POCCLA-44499	Upgrade: Ethernet Upgrade (Hardware Only-Non Creatinine)	<b>1 each</b>
POCCLA-55505	Upgrade: Creatinine Upgrade (Hardware & Software)	<b>1 each</b>
POCCLA-55555	Upgrade: Creatinine & Ethernet Upgrade	<b>1 each</b>
POCCLA-401000	US Power Cord	1 each
Other Accessories		
POCCLA-4402	Creatinine Control Kit (3-level 1 and 3-level 2)	<b>1 each</b>

PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-3100	UREA AMR Solution (5mL)	1 each
POCCLA-0500	Capillary Collection Device	50/pack
POCCLA-4501	Check Valve	50/pack
POCCLA-3501	Female Luer Caps	100/pack
POCCLA-03800	IRMA Thermal Paper	1 roll
<b>AVOXimeter® 1000E Whole Blood Oximeter</b>		
<b>Instruments</b>		
POCCLA-AVOX1000E- 110	AVOXimeter 1000E - System w/110 AC Adapter	Operator's manual, AC adapter, optical filters and one year of warranty service
POCCLA-AVOX1000E- 220	AVOXimeter 1000E - System w/220 AC Adapter	Operator's manual, AC adapter, optical filters and one year of warranty service
<b>Consumable</b>		
POCCLA-C100B	Cuvette	1 box, 100/box
<b>Parts</b>		
POCCLA-9692	AC Adapter 110V AC	1 each
POCCLA-9671	AC Adapter 220V AC (EU)	1 each
POCCLA-10972	AC Adapter (UK)	1 each
POCCLA-E-QCYO	Optical QC Filters, Replacement	1 each
POCCLA-AVOX100E- OM	Operator's Manual (English)	1 Manual

Warranty		
PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-XWE-2 SE300	Extended Warranty - 1 year	1 Year
Accessories		
POCCLA-SE300	Dymo LabelWriter SE 300	1 each
POCCLA-90160	Printer Cable	1 each
POCCLA-30270	Printer Paper (Dymo/CoStar)	1 each
POCCLA-90415	Printer AC Cord set (CTP-3 only)	1 each

AVOXimeter® 4000 Whole Blood CO-Oximeter		
Instruments		
POCCLA-AVOX4000- 110	AVOXimeter 4000 - System w/110 AC Adapter	Operator's manual, AC adapter, optical filters and one year of warranty service
POCCLA-AVOX4000- 220	AVOXimeter 4000 - System w/220 AC Adapter	<b>Operator's manual, AC adapter, optical filters and one year of warranty service</b>
Consumable		
POCCLA-QV8	Cuvette	<b>1 box, 100/box</b>
Parts		
POCCLA-9692	<b>1 AC Adapter 110V AC</b>	1 each
POCCLA-9671	<b>1 AC Adapter 220V AC (EU)</b>	1 each
POCCLA-10972	<b>1 AC Adapter UK</b>	1 each
POCCLA-4-TMPB	<b>1 Temperature Probe</b>	1 each
POCCLA-4-QCYO	<b>1 Optical QC Filters, Replacement</b>	1 each
POCCLA-AVOX4000- OM	<b>1 Operator's Manual</b>	1 each
Warranty		
POCCLA-XW4-2	<b>Extended Warranty - 1 year</b>	1 year
Accessories		
POCCLA-SE300	<b>Dymo LabelWriter SE 300</b>	1 each
POCCLA-90160	<b>Printer Cable</b>	1 each
POCCLA-30270	<b>Printer Paper (Dymo/CoStar)</b>	1 each
POCCLA-90415	<b>Printer AC Cord set (CTP-3 only)</b>	1 each

ProTime® Microcoagulation System		
PRODUCT #	DESCRIPTION	PRESENTATION
<b>Instruments</b>		
POCCLA-PROTIMEPRO	ProTime professional instrument, AC power module, AC power cord, Operator's Manual, Training CD and 3-year warranty	1 each
POCCLA-PROTIMEINT	ProTime international instrument, AC power module, AC power cord, Operator's Manual (For International Use Only)	1 each
<b>Cuvettes</b>		
POCCLA-PRO3-25	ProTime disposable 3-channel cuvettes (low blood volume)	25 cuvettes, 25 Tenderlett Plus LV, Package Insert; 1 box, 10 boxes/case
POCCLA-PRO3-50	ProTime disposable 3-channel cuvettes (low blood volume)	50 cuvettes, 50 Tenderlett Plus LV, Package Insert; 1 box
POCCLA-PRO5-25	ProTime disposable 5-channel cuvettes	25 cuvettes, 25 Tenderlett Plus, Package Insert; 1 box, 10 boxes/case
<b>Controls</b>		
POCCLA-DCPRO-N	Liquid Controls for ProTime - Normal	1 box of 15 ampules
POCCLA-DCPRO-A	Liquid Controls for ProTime - Abnormal	1 box of 15 ampules
<b>Accessories</b>		
POCCLA-LBLKIT	1 Printer and 1 Label Maker	1 each
POCCLA-LBLPAPER	Paper for LBLKIT	1 Roll
POCCLA-TL25PRO3	Tenderlett Plus LV finger incision device	1 case; 18 bags of 25 Tenderlett Plus LV
POCCLA-TL25PRO5	Tenderlett Plus finger incision device	1 case; 18 bags of 25 Tenderlett Plus
POCCLA-PROBAG	ProTime instrument carrying case	1 each
POCCLA-PROCABLE	ProTime computer cable	1 each
POCCLA-PROBATTERY	Replacement battery for ProTime instrument	1 each

Incision		
PRODUCT #	DESCRIPTION	PRESENTATION
<b>Tenderlett®</b>		
CLA-TL100I	Adults/older children; Incision (depth/length) 1.75 mm/0.94 mm	Red trigger 100/box
CLA-TL5000I	Adults/older children; Incision (depth/length) 1.75 mm/0.94 mm	Red trigger 5000/Box
<b>tenderfoot® Toddler</b>		
CLA-TFT50I	6 months to 2 years; Incision (depth/length) 2.00 mm/3.00 mm	Pink case 50/box
<b>tenderfoot® Newborn</b>		
CLA-TF50I	Birth up to 3-6 months; Incision (depth/length) 1.00 mm/2.50 mm	Pink/Blue case 50/box
CLA-TF200I	Birth up to 3-6 months; Incision (depth/length) 1.00 mm/2.50 mm	Pink/Blue case 200/box
CLA-TF1000I	Birth up to 3-6 months; Incision (depth/length) 1.00 mm/2.50 mm	Pink/Blue case 1000/box
<b>tenderfoot® Preemie</b>		
CLA-TFP50I	Low birth weight; Incision (depth/length) 0.85 mm/1.75 mm	White case 50/box
CLA-TFP200I	Low birth weight; Incision (depth/length) 0.85 mm/1.75 mm	White case 200/box
CLA-TFP1000I	Low birth weight; Incision (depth/length) 0.85 mm/1.75 mm	White case 1000/box
<b>tenderfoot® Micro-preemie</b>		
CLA-TFM50I	<1000 grams; Incision (depth/length) 0.65 mm/1.40 mm	Blue case 50/box

Surgicutt®		
CLA-SU50I	Adult; Incision (depth/length) 1.00 mm/5.00 mm	Gold trigger/ White case 50/box
CLA-SUB50I	Adult; Incision (depth/length) 1.00 mm/5.00 mm	Gold trigger/ White case 50/box with <i>Blotting Paper</i>
Junior		
CLA-SUJ50I	Pediatric; Incision (depth/length) 1.00 mm/3.50 mm	Plum trigger/ Lavender case 50/box
Newborn		
CLA-SUN100I	Infant; Incision (depth/length) 0.50 mm/2.50 mm	Orange trigger/ Yellow case 100/box
Blotting Paper		
CLA-SUP100I	All Ages; 9.0 cm diameter	White 1 each

HgbPro Professional Hemoglobin Testing System®		
PRODUCT #	DESCRIPTION	PRESENTATION
POCCLA-HGBPROKIT	Starter kit	1 Hgb Pro Meter and 1 Bottle of 25 test strips
POCCLA-HGBMETER	Hgb Pro Meter	1 each
POCCLA-HGBTTEST100	Test Strips	4 Bottles of 25 test strips